

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S78	159	380/47.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/01 14:46
S79	29	("5081676").URPN.	USPAT	OR	OFF	2005/03/01 15:14
S80	2	("6504930").URPN.	USPAT	OR	OFF	2005/03/01 15:25
S81	0	("6760439").URPN.	USPAT	OR	OFF	2005/03/01 15:53
S82	5	("4078152" "4107458" "4195200" "4377862" "5671284").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 16:09
S83	163	380/45.ccls. not 380/47.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 11:05
S84	15	("5517614").URPN.	USPAT	OR	OFF	2005/03/02 08:45
S85	5	("6069957").URPN.	USPAT	OR	OFF	2005/03/02 09:07
S86	0	("6307940").URPN.	USPAT	OR	OFF	2005/03/02 09:34
S88	389	380/44.ccls.	USPAT	OR	OFF	2005/03/02 09:35
S89	265	380/44.ccls. not (380/45-47.ccls.)	USPAT	OR	OFF	2005/03/02 09:39
S90	196	380/44.ccls. not (380/45-47.ccls.) and block	USPAT	OR	OFF	2005/03/02 09:41
S91	70	380/44.ccls. not (380/45-47.ccls.) and blocks	USPAT	OR	OFF	2005/03/02 09:41
S92	4	("5740249").URPN.	USPAT	OR	OFF	2005/03/02 10:09
S93	500	380/28.ccls. not (380/44-47.ccls.)	USPAT	OR	OFF	2005/03/02 10:10
S94	412	380/28.ccls. not (380/44-47.ccls.) and block	USPAT	OR	OFF	2005/03/02 10:10
S95	214	380/28.ccls. not (380/44-47.ccls.) and blocks	USPAT	OR	OFF	2005/03/02 10:33
S96	225	380/37.ccls.	USPAT	OR	OFF	2005/03/02 10:33
S97	121	380/37.ccls. not (380/28.ccls. or 380/44-47.ccls.)	USPAT	OR	OFF	2005/03/02 10:34
S98	0	("6772343").URPN.	USPAT	OR	OFF	2005/03/02 10:38
S99	2	("3962539" "4074066").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 10:54
S10 0	0	"593677".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 10:54
S10 1	4	"652157".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 10:54

S10 2	138	smithers.xa.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 11:06
S10 3	121	smithers.xp.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/02 11:06
S10 4	7667	key adj (set\$1 or group\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:34
S10 5	2951	key adj (set\$1 or group\$1) and (encrypt\$4 or encod\$3 or scrambl\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:34
S10 6	466	key adj (set\$1 or group\$1) with (mode\$1 or algorithm\$1) and (encrypt\$4 or encod\$3 or scrambl\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:35
S10 7	2	key adj (set\$1 or group\$1) with (mode\$1 or algorithm\$1) and (encrypt\$4 or encod\$3 or scrambl\$4) and (block\$1 with (number or many) with depend\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:39
S10 8	2	(key or subkey) adj (set\$1 or group\$1) with (mode\$1 or algorithm\$1) and (encrypt\$4 or encod\$3 or scrambl\$4) and (block\$1 with (number or many) with depend\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:39
S10 9	4	(key or subkey) near (set\$1 or group\$1) with (mode\$1 or algorithm\$1) and (encrypt\$4 or encod\$3 or scrambl\$4) and (block\$1 with (number or many) with depend\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:41
S11 0	1796	(even or odd) adj block\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:42
S11 1	91	(even or odd) adj block\$1 with (algorithm or method or mode)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:42
S11 2	30	(even or odd) near1 block\$1 with (algorithm or method or mode) same (encrypt\$4 or encod\$4 or scrambl\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/02 11:43